



Doosan Infracore
Portable Power
1293 Glenway Drive,
Statesville, NC 28625

Material Safety Data Sheet

Doosan Infracore Portable Power
1293 Glenway Drive
Statesville, NC 28625

Doosan Pro-TEC Compressor Fluid

Doosan Part

36899698	1 Gal.
36899706	5 Gal.
36899714	55 Gal.
36899722	275 Gal. Tote

Transportation Emergency Response

CHEMTREC: (800) 424-9300 or 202-483-7616

Doosan Portable Power: (800) 633-5206

SECTION 1 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Names and Synonyms: Severe Treat Min. Oils & Additives

Ingredients Considered Hazardous to Health:

This product is not formulated to contain ingredients, which have exposure limits established by U.S. agencies. It is not hazardous to health as defined by the European Union Dangerous Substances/Preparations Directives.

SECTION 2 HAZARDS IDENTIFICATION

US OSHA Hazard Communication Standard: Product assessed in accordance with OSHA 29 CFR 1910.1200 and determined not to be hazardous.

Emergency Response Data: Slightly Hazy Amber Liquid. DOT ERG no. -NA

SECTION 3 FIRST AID MEASURES

Eye Contact: Flush thoroughly with water. If irritation occurs, call a physician.

Skin Contact: Wash contact areas with soap and water.

Inhalation: Not expected to be a problem.

Ingestion: Not expected to be a problem. However, if greater than ½ liter (pint) ingested, seek medical attention.

SECTION 4 FIRE-FIGHTING MEASURES

Special Fire Fighting Procedures: Water or foam may cause frothing. Use water to keep fire exposed containers cool. Water spray may be used to flush spills away from exposure. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

Special Protective Equipment: For fires in enclosed areas, fire fighters must use self-contained breathing apparatus.

Flammable limits – LEL: NA, UEL: NA.

NFPA Hazard ID: Health: 0, Flammability: 1, Reactivity: 0

Hazardous Composition Products: Metal oxides. Carbon monoxide.



**Doosan Infracore
Portable Power**
1293 Glenway Drive,
Statesville, NC 28625

SECTION 5 ENVIRONMENTAL AND DISPOSAL INFORMATION

Steps to be Taken in Case of Spills: Soak up with suitable absorbent material, and then sweep into plastic bag for disposal.

Waste Disposal Method: Dispose in accordance with local, state, or federal regulations.

SECTION 6 HANDLING AND STORAGE

Handling: No special precautions are necessary beyond normal good hygiene practices.

Storage: Do not store in open or unlabelled containers. Store away from strong oxidizing agents or combustible material.

SECTION 7 EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Normal industrial eye protection practices should be employed.

Skin Protection: No special equipment required. However, good personal hygiene practices should always be followed.

Exposure Limits: This product does not contain any components which have recognized exposure limits. However, an exposure limit of 5.00 mg/m³ is suggested for oil mist.

SECTION 8

Typical physical properties are given below. Consult Product Data Sheet for specific details.

Appearance:	Liquid	
Color:	Slightly Hazy Amber	
Odor:	Mild	
Odor Threshold-ppm:	NE	
pH:	NA	
Boiling Point C(F):	>316 (600)	
Melting Point C(F):	NA	
Flash Point C(F):	>175 (347) (ASTM D-92)	
Flammability:	NE	
Auto Flammability:	NE	
Explosive Properties:	NA	
Oxidizing Properties:	NA	
Vapor Pressure –mmHg 20 c:	< 0.1	
Vapor Density:	> 2.0	
Evaporation Rate:	NE	
Relative Density, 15/4 C:	0.87	
Solubility in Water:	Negligible	
Partition Coefficient:	> 3.5	
Viscosity at 40 C, cSt:	40.0	
Viscosity at 100 C, cSt:	7.4	
Pour Point C(F):	-40 (-40)	
Freezing Point C(F):	NE	
Volatile organic Compound:	<8.00 (Wt. %); 0.574 lbs/gal	
DMSO Extract, IP-346 (WT.%):	< 3, for mineral oil only	
NA=NOT APPLICABLE	NE=NOT ESTABLISHED	D=DECOMPOSES

SECTION 9 STABILITY AND REACTIVITY

Stability(THERMAL, LIGHT, ETC.): Stable.



**Doosan Infracore
Portable Power**
1293 Glenway Drive,
Statesville, NC 28625

Conditions to Avoid: Extreme heat.
Incompatibility (Materials to Avoid): Strong oxidizers.
Hazardous Decomposition Products: Metal oxides. Carbon monoxide.
Hazardous Polymerization: Will not occur.

SECTION 10 ECOLOGICAL INFORMATION

Environmental Fate and Effects: This product is expected to be inherently biodegradable. There is no evidence to suggest bioaccumulation will occur. It is not expected to be toxic to aquatic organisms.

SECTION 11 TRANSPORT INFORMATION

LAND (DOT): Not Regulated for Land Transport

LAND (TDG): Not Regulated for Land Transport

SEA (IMDG): Not Regulated for Sea Transport according to IMDG-Code

AIR (IATA): Not Regulated for Air Transport

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.